

Red Sea Reefer (10555A)



Ungewünschte Schwermetalle

Element	Analyse	Sollwert	Abweichung	Warnampel	Liter
Hg	0.00 µg/l	0 µg/l	-0.10		350
Se	0.00 µg/l	0 µg/l	-0.10		350
Cd	0.00 µg/l	0 µg/l	-0.10		350
Sn	19.08 µg/l	0 µg/l	18.98		350
Sb	0.00 µg/l	0 µg/l	-0.10		350
As	0.00 µg/l	0 µg/l	-0.10		350
Al	34.45 µg/l	2.00 µg/l	32.45		350
Pb	0.00 µg/l	0 µg/l	-0.10		350
Ti	0.00 µg/l	0 µg/l	-0.10		350
Cu	8.80 µg/l	0 µg/l	8.70		350
La	0.00 µg/l	0 µg/l	-0.10		350
Sc	0.00 µg/l	0 µg/l	-0.10		350
W	0.00 µg/l	0 µg/l	-0.10		350

Macro-Elemente

Element	Analyse	Sollwert	Abweichung	Warnampel	Liter
Na	10095.00 mg/l	10700.00 mg/l	-605.00		350
Ca	523.00 mg/l	440.00 mg/l	83.00		350
Mg	1487.00 mg/l	1370.00 mg/l	117.00		350
K	459.00 mg/l	400.00 mg/l	59.00		350
Br	42.23 mg/l	62.00 mg/l	-19.77		350
B	4.89 mg/l	4.50 mg/l	0.39		350
Sr	9.78 mg/l	8.00 mg/l	1.78		350
S	949.00 mg/l	900.00 mg/l	49.00		350

Red Sea Reefer (10555A)



Li-Gruppe

Element	Analyse	Sollwert	Abweichung	Warnampel	Liter
Li	468.00 µg/l	200.00 µg/l	268.00		350
Ni	2.74 µg/l	5.00 µg/l	-2.26		350
Mo	23.33 µg/l	12.00 µg/l	11.33		350

I-Gruppe

Element	Analyse	Sollwert	Abweichung	Warnampel	Liter
V	0.00 µg/l	1.20 µg/l	-1.20		350
Zn	9.50 µg/l	4.00 µg/l	5.50		350
Mn	0.00 µg/l	2.00 µg/l	-2.00		350
I	25.95 µg/l	60.00 µg/l	-34.05		350

Fe-Gruppe

Element	Analyse	Sollwert	Abweichung	Warnampel	Liter
Cr	0.00 µg/l	0 µg/l	-0.10		350
Co	0.00 µg/l	0 µg/l	-0.10		350
Fe	0.00 µg/l	0 µg/l	-0.10		350

Ba-Gruppe

Element	Analyse	Sollwert	Abweichung	Warnampel	Liter
Ba	92.51 µg/l	10.00 µg/l	82.51		350
Be	0.00 µg/l	0 µg/l	-0.10		350

Si-Gruppe

Element	Analyse	Sollwert	Abweichung	Warnampel	Liter
Si	58.59 µg/l	100.00 µg/l	-41.41		350

Red Sea Reefer (10555A)



Nährstoff-Gruppe

Element	Analyse	Sollwert	Abweichung	Warnampel	Liter
P	9.07 µg/l	6.00 µg/l	3.07		350
PO4	0.028 mg/l	0.018 mg/l	0.010		350