

Scubacube (1092A)



Ungewünschte Schwermetalle

Element	Analyse	Sollwert	Abweichung	Warnampel	Liter
Hg	0.00 µg/l	0 µg/l	-0.10		270
Se	0.00 µg/l	0 µg/l	-0.10		270
Cd	0.00 µg/l	0 µg/l	-0.10		270
Sn	0.00 µg/l	0 µg/l	-0.10		270
Sb	0.00 µg/l	0 µg/l	-0.10		270
As	0.00 µg/l	0 µg/l	-0.10		270
Al	15.00 µg/l	2.00 µg/l	13.00		270
Pb	0.00 µg/l	0 µg/l	-0.10		270
Ti	0.00 µg/l	0 µg/l	-0.10		270
Cu	0.00 µg/l	0 µg/l	-0.10		270
La	0.00 µg/l	0 µg/l	-0.10		270
Sc	0.00 µg/l	0 µg/l	-0.10		270
W	0.00 µg/l	0 µg/l	-0.10		270

Macro-Elemente

Element	Analyse	Sollwert	Abweichung	Warnampel	Liter
Na	11138.00 mg/l	10700.00 mg/l	438.00		270
Ca	455.00 mg/l	440.00 mg/l	15.00		270
Mg	1311.00 mg/l	1370.00 mg/l	-59.00		270
K	330.00 mg/l	400.00 mg/l	-70.00		270
Br	53.00 mg/l	62.00 mg/l	-9.00		270
B	2.52 mg/l	4.50 mg/l	-1.98		270
Sr	5.40 mg/l	8.00 mg/l	-2.60		270
S	546.00 mg/l	900.00 mg/l	-354.00		270

Scubacube (1092A)



Li-Gruppe

Element	Analyse	Sollwert	Abweichung	Warnampel	Liter
Li	59.00 µg/l	200.00 µg/l	-141.00		270
Ni	0.00 µg/l	5.00 µg/l	-5.00		270
Mo	7.40 µg/l	12.00 µg/l	-4.60		270

I-Gruppe

Element	Analyse	Sollwert	Abweichung	Warnampel	Liter
V	0.00 µg/l	1.20 µg/l	-1.20		270
Zn	0.00 µg/l	4.00 µg/l	-4.00		270
Mn	0.00 µg/l	2.00 µg/l	-2.00		270
I	110.00 µg/l	60.00 µg/l	50.00		270

Fe-Gruppe

Element	Analyse	Sollwert	Abweichung	Warnampel	Liter
Cr	0.00 µg/l	0 µg/l	-0.10		270
Co	0.00 µg/l	0 µg/l	-0.10		270
Fe	0.00 µg/l	0 µg/l	-0.10		270

Ba-Gruppe

Element	Analyse	Sollwert	Abweichung	Warnampel	Liter
Ba	132.00 µg/l	10.00 µg/l	122.00		270
Be	0.00 µg/l	0 µg/l	-0.10		270

Si-Gruppe

Element	Analyse	Sollwert	Abweichung	Warnampel	Liter
Si	363.00 µg/l	100.00 µg/l	263.00		270

Scubacube (1092A)



Nährstoff-Gruppe

Element	Analyse	Sollwert	Abweichung	Warnampel	Liter
P	10.00 µg/l	6.00 µg/l	4.00		270
PO4	0.031 mg/l	0.018 mg/l	0.013		270