

Red Sea Reefer 525 XL (25339A)



Ungewünschte Schwermetalle

Element	Analyse	Sollwert	Abweichung	Warnampel	Liter
Hg	0.00 µg/l	0 µg/l	-0.10		525
Se	0.00 µg/l	0 µg/l	-0.10		525
Cd	0.00 µg/l	0 µg/l	-0.10		525
Sn	0.00 µg/l	0 µg/l	-0.10		525
Sb	0.00 µg/l	0 µg/l	-0.10		525
As	0.00 µg/l	0 µg/l	-0.10		525
Al	27.00 µg/l	2.00 µg/l	25.00		525
Pb	0.00 µg/l	0 µg/l	-0.10		525
Ti	0.00 µg/l	0 µg/l	-0.10		525
Cu	4.86 µg/l	0 µg/l	4.76		525
La	0.00 µg/l	0 µg/l	-0.10		525
Sc	0.00 µg/l	0 µg/l	-0.10		525
W	0.00 µg/l	0 µg/l	-0.10		525

Macro-Elemente

Element	Analyse	Sollwert	Abweichung	Warnampel	Liter
Na	11473.00 mg/l	10700.00 mg/l	773.00		525
Ca	515.00 mg/l	440.00 mg/l	75.00		525
Mg	1512.00 mg/l	1370.00 mg/l	142.00		525
K	477.00 mg/l	400.00 mg/l	77.00		525
Br	48.00 mg/l	62.00 mg/l	-14.00		525
B	3.92 mg/l	4.50 mg/l	-0.58		525
Sr	8.00 mg/l	8.00 mg/l	0.00		525
S	1016.00 mg/l	900.00 mg/l	116.00		525

Red Sea Reefer 525 XL (25339A)



Li-Gruppe

Element	Analyse	Sollwert	Abweichung	Warnampel	Liter
Li	259.00 µg/l	200.00 µg/l	59.00		525
Ni	0.00 µg/l	5.00 µg/l	-5.00		525
Mo	8.21 µg/l	12.00 µg/l	-3.79		525

I-Gruppe

Element	Analyse	Sollwert	Abweichung	Warnampel	Liter
V	0.00 µg/l	1.20 µg/l	-1.20		525
Zn	3.33 µg/l	4.00 µg/l	-0.67		525
Mn	0.00 µg/l	2.00 µg/l	-2.00		525
I	40.00 µg/l	60.00 µg/l	-20.00		525

Fe-Gruppe

Element	Analyse	Sollwert	Abweichung	Warnampel	Liter
Cr	0.00 µg/l	0 µg/l	-0.10		525
Co	0.00 µg/l	0 µg/l	-0.10		525
Fe	0.00 µg/l	0 µg/l	-0.10		525

Ba-Gruppe

Element	Analyse	Sollwert	Abweichung	Warnampel	Liter
Ba	54.00 µg/l	10.00 µg/l	44.00		525
Be	0.00 µg/l	0 µg/l	-0.10		525

Si-Gruppe

Element	Analyse	Sollwert	Abweichung	Warnampel	Liter
Si	81.00 µg/l	100.00 µg/l	-19.00		525

Red Sea Reefer 525 XL (25339A)



Nährstoff-Gruppe

Element	Analyse	Sollwert	Abweichung	Warnampel	Liter
P	5.00 µg/l	6.00 µg/l	-1.00		525
PO4	0.015 mg/l	0.018 mg/l	-0.003		525