

# Red Sea Reefer 525XL (29942A)



## Ungewünschte Schwermetalle

| Element | Analyse    | Sollwert  | Abweichung | Warnampel | Liter |
|---------|------------|-----------|------------|-----------|-------|
| Hg      | 0.00 µg/l  | 0 µg/l    | -0.10      |           | 525   |
| Se      | 0.00 µg/l  | 0 µg/l    | -0.10      |           | 525   |
| Cd      | 0.00 µg/l  | 0 µg/l    | -0.10      |           | 525   |
| Sn      | 0.00 µg/l  | 0 µg/l    | -0.10      |           | 525   |
| Sb      | 0.00 µg/l  | 0 µg/l    | -0.10      |           | 525   |
| As      | 0.00 µg/l  | 0 µg/l    | -0.10      |           | 525   |
| Al      | 25.00 µg/l | 2.00 µg/l | 23.00      |           | 525   |
| Pb      | 0.00 µg/l  | 0 µg/l    | -0.10      |           | 525   |
| Ti      | 0.00 µg/l  | 0 µg/l    | -0.10      |           | 525   |
| Cu      | 0.00 µg/l  | 0 µg/l    | -0.10      |           | 525   |
| La      | 0.00 µg/l  | 0 µg/l    | -0.10      |           | 525   |
| Sc      | 0.00 µg/l  | 0 µg/l    | -0.10      |           | 525   |
| W       | 0.00 µg/l  | 0 µg/l    | -0.10      |           | 525   |

## Macro-Elemente

| Element | Analyse       | Sollwert      | Abweichung | Warnampel | Liter |
|---------|---------------|---------------|------------|-----------|-------|
| Na      | 11261.00 mg/l | 10700.00 mg/l | 561.00     |           | 525   |
| Ca      | 420.00 mg/l   | 440.00 mg/l   | -20.00     |           | 525   |
| Mg      | 1385.00 mg/l  | 1370.00 mg/l  | 15.00      |           | 525   |
| K       | 453.00 mg/l   | 400.00 mg/l   | 53.00      |           | 525   |
| Br      | 62.00 mg/l    | 62.00 mg/l    | 0.00       |           | 525   |
| B       | 4.34 mg/l     | 4.50 mg/l     | -0.16      |           | 525   |
| Sr      | 7.80 mg/l     | 8.00 mg/l     | -0.20      |           | 525   |
| S       | 970.00 mg/l   | 900.00 mg/l   | 70.00      |           | 525   |

# Red Sea Reefer 525XL (29942A)



## Li-Gruppe

| Element | Analyse     | Sollwert    | Abweichung | Warnampel | Liter |
|---------|-------------|-------------|------------|-----------|-------|
| Li      | 238.00 µg/l | 200.00 µg/l | 38.00      |           | 525   |
| Ni      | 0.42 µg/l   | 5.00 µg/l   | -4.58      |           | 525   |
| Mo      | 6.97 µg/l   | 12.00 µg/l  | -5.03      |           | 525   |

## I-Gruppe

| Element | Analyse    | Sollwert   | Abweichung | Warnampel | Liter |
|---------|------------|------------|------------|-----------|-------|
| V       | 0.00 µg/l  | 1.20 µg/l  | -1.20      |           | 525   |
| Zn      | 2.46 µg/l  | 4.00 µg/l  | -1.54      |           | 525   |
| Mn      | 0.00 µg/l  | 2.00 µg/l  | -2.00      |           | 525   |
| I       | 46.00 µg/l | 60.00 µg/l | -14.00     |           | 525   |

## Fe-Gruppe

| Element | Analyse   | Sollwert | Abweichung | Warnampel | Liter |
|---------|-----------|----------|------------|-----------|-------|
| Cr      | 0.00 µg/l | 0 µg/l   | -0.10      |           | 525   |
| Co      | 0.00 µg/l | 0 µg/l   | -0.10      |           | 525   |
| Fe      | 0.00 µg/l | 0 µg/l   | -0.10      |           | 525   |

## Ba-Gruppe

| Element | Analyse    | Sollwert   | Abweichung | Warnampel | Liter |
|---------|------------|------------|------------|-----------|-------|
| Ba      | 14.00 µg/l | 10.00 µg/l | 4.00       |           | 525   |
| Be      | 0.00 µg/l  | 0 µg/l     | -0.10      |           | 525   |

## Si-Gruppe

| Element | Analyse     | Sollwert    | Abweichung | Warnampel | Liter |
|---------|-------------|-------------|------------|-----------|-------|
| Si      | 191.00 µg/l | 100.00 µg/l | 91.00      |           | 525   |

## Red Sea Reefer 525XL (29942A)



### Nährstoff-Gruppe

| Element | Analyse    | Sollwert   | Abweichung | Warnampel                                                                         | Liter |
|---------|------------|------------|------------|-----------------------------------------------------------------------------------|-------|
| P       | 3.45 µg/l  | 6.00 µg/l  | -2.55      |  | 525   |
| PO4     | 0.011 mg/l | 0.018 mg/l | -0.007     |  | 525   |